

# Service Intervals

Service Intervals	Judy	Dart	Pilot	Duke	Psylo	Tora	Recon	Reba
Clean dirt and debris from upper tubes	E	E	E	E	E	E	E	E
Inspect upper tubes for scratches	E	E	E	E	E	E	E	E
Lubricate dust seals/upper tubes	10	10	10	10	10	10	10	10
Check top caps, brake posts and shaft bolts for proper torque	25	25	25	25	25	25	25	25
Check air pressure			E	E	E	E	E	E
Remove lower legs, clean/inspect bushings and change oil bath	50	50	50	50	50	50	50	50
Change damping oil	100	100	100	100	100	100	100	100
Clean and lubricate air spring assembly o-rings			50	50	50	50	50	50
Clean and lubricate coil spring	100	100	100	100	100	100	100	100
Service Intervals	Revelation	Pike	Domain	Lyrik	Totem	Argyle	SID	Boxxer
Clean dirt and debris from upper tubes	E	E	E	E	E	E	E	E
Inspect upper tubes for scratches	E	E	E	E	E	E	E	E
Lubricate dust seals/upper tubes	10	10	10	10	10	10	10	10
Check top caps, brake posts and shaft bolts for proper torque	25	25	25	25	25	25	25	25
Check air pressure	E	E		E	E	E	E	E
Remove lower legs, clean/inspect bushings and change oil bath	50	50	50	50		50	50	100
Change damping oil	100	100	100	100	100	100	100	100
Clean and lubricate air spring assembly o-rings	50	50		50	50	50	50	50
Clean and lubricate coil spring	100	100	100	100	100	100		100
Change oil bath with Speed Lube					25			
Service Intervals	SID Rear	BAR Rear	Ario Rear	MC Rear	Pearl Rear			
Clean shock with mild soap and a toothbrush	8	8	8	8	8			
Keep mounting hardware clean and lubricated	8	8	8	8	8			
Check air pressure	E	E	E	E	E			
Clean and lubricate air spring assembly o-rings	50	50	50	50	50			
Remove, clean and lube air can air/dust seals	50	50	50	50	50			
Remove, clean and grease mounting hardware	20	20	20	20	20			
E= Every Ride Numeric values represent hours of Riding Time. Increase service intervals based on rider weight, aggressive riding style/conditions, inclement weather, racing and use of disc brakes,								

<b>Tora Solo Air</b>		
<b>Rider Weight</b> <140 lb (63 kg) 140-160 lb (63-72 kg) 160-180 lb (73-81 kg) 180-200 lb (81-90 kg) >200 lb (90 kg)	<b>80mm</b> 120-140 psi 140-160 psi 160-180 psi 180-200 psi 200+ psi	<b>100-130mm</b> 80-100 psi 100-120 psi 120-140 psi 140-160 psi 160+ psi
<b>Recon Solo Air</b>		
<b>Rider Weight</b> <140 lb (63 kg) 140-160 lb (63-72 kg) 160-180 lb (73-81 kg) 180-200 lb (81-90 kg) >200 lb (90 kg)	<b>80mm</b> 90-110 psi 110-125 psi 125-140 psi 140-160 psi 160+ psi	<b>100-130mm</b> 50-70 psi 70-85 psi 85-100 psi 100-120 psi 120+ psi
<b>Reba / Pike / Revelation</b>		
<b>Rider Weight</b> <140 lb (63 kg) 140-160 lb (63-72 kg) 160-180 lb (73-81 kg) 180-200 lb (81-90 kg) >200 lb (90 kg)	<b>Reba/Pike/Revelation Dual Air</b> 70-90 psi 90-105 psi 105-120 psi 120-135 psi 135-150 max psi	<b>Reba/Pike/Revelation Air U-Turn</b> 90-115 psi 115-130 psi 130-145 psi 145-160 psi 160-175 max psi
<b>Argyle Solo Air</b>		
<b>Rider Weight</b> <140 lb (63 kg) 140-160 lb (63-72 kg) 160-180 lb (73-81 kg) 180-200 lb (81-90 kg) >200 lb (90 kg)	<b>100mm</b> 120-135 psi 135-150 psi 150-165 psi 165-180 psi 180-220 max psi	
<b>Lyrrik</b>		
<b>Rider Weight</b> <140 lb (63 kg) 140-160 lb (63-72 kg) 160-180 lb (73-81 kg) 180-200 lb (81-90 kg) 200-220 lb (90-99 kg) >200 lb (99 kg)	<b>Lyrrik Solo Air</b> 35-45 psi 45-55 psi 55-65 psi 65-75 psi 75-85 psi 85-105 max psi	<b>Lyrrik 2-Step</b> 60-80 psi 80-90 psi 90-100 psi 100-110 psi 110-120 psi 120-145 max psi
<b>Totem</b>		
<b>Rider Weight</b> <140 lb (63 kg) 140-160 lb (63-72 kg) 160-180 lb (73-81 kg) 180-200 lb (81-90 kg) 200-220 lb (90-99 kg) >200 lb (99 kg)	<b>Totem Solo Air</b> 35-50 psi 50-55 psi 55-60 psi 60-65 psi 65-70 psi 70-80 max psi	<b>Totem 2-Step</b> 60-85 psi 85-90 psi 90-105 psi 105-115 psi 115-125 psi 125-145 max psi

<b>2006-2007 Boxxer World Cup Solo Air</b>			
<b>Rider Weight</b> <120 lb (55 kg) 120-140 lb (55- 63 kg) 140-160 lb (63-73 kg) 160-180 lb (73-81 kg) 180-200 lb (81-90 kg) >200 lb (90 kg)	<b>Boxxer Solo Air</b> 100-110 psi 110-120 psi 120-140 psi 140-160 psi 160-180 psi 180+ psi		
<b>2001-2007 SID Dual Air</b>			
<b>Rider Weight</b> <120 lb (54 kg) 120-140 lb (54-64 kg) 140-160 lb (64-73 kg) 160-180 lb (73-82 kg) >180 lb (82 kg)	<b>Positive Spring</b> 70-80 psi 80-100 psi 100-120 psi 120-140 psi 140-160 psi	<b>Negative Spring (XC Setting)</b> 70-80 psi 80-100 psi 100-120 psi 120-140 psi 140-160 psi	<b>Negative Spring (Racing Setting)</b> 40-60 psi 60-80 psi 80-100 psi 100-120 psi 120-140 psi
<b>2002-2005 Duke C, XC, SL, Race</b>			
<b>Rider Weight</b> <140lb (64 kg) 140-160lb (64-73 kg) 160-180lb (73-82 kg) 180-200lb (82-91 kg) >200lb (91 kg)	<b>Positive Spring</b> 80-115 psi 115-130 psi 130-145 psi 145-160 psi 160-180 psi (max)	<b>Negative Spring (02 Race only)</b> 60-115 psi 95-130 psi 110-145 psi 125-160 psi 160-180 psi	
<b>2003-2005 Pilot Air Assist</b>			
<b>Rider Weight</b> <140lb (63 kg) 140-160lb (63-72 kg) 160-180lb (72-82 kg) 180-200lb (81-91 kg) >200lb (91 kg)	<b>Positive Spring</b> 0 0-5 psi 5-10 psi 10-15 psi 15-20 psi		
<b>2005-2007 MC3 / MC3R Rear Shock</b>			
<b>Rider Weight</b> 100-120lb (45-54 kg) 120-140lb (54-64 kg) 140-160lb (64-73 kg) 160-180lb (73-82 kg) 180-200lb (82-91 kg) 200-220lb (91-100 kg) 220-240lb (100-109 kg)	<b>Trek Fuel 1.9 - 2.3 lev ratio</b> 20-30 psi 30-45 psi 45-55 psi 55- 70 psi 70-80 psi 80-95 psi 95-100 psi	<b>Trek Fuel EX 2.4 - 2.7 leverage ratio</b> 50-70 psi 70-90 psi 90-110 psi 110-130 psi 130-145 psi 145-165 psi 165-185 psi	
All rear air shocks should measure 20% compression sag, when seated, as a starting point for air pressure setting. Air pressure setting for RockShox air rear shocks depends on rider weight, frame type and preference.			

# Springs

<b>2006 Judy J1, J2, J3 - 2003-2005 Judy TT, C, XC - 2003-2005 Pilot C</b>			
<b>Rider Weight</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Black (80-100mm), Yellow (125mm) Yellow (80-100mm), Red (125mm) Red (80-100mm), Blue (125mm) Blue (80-100mm), Black (125mm)	<b>Part #</b> 11.4311.122.000 11.4311.121.000 11.4310.668.000 11.4310.674.000	
Kit includes 2 springs: 80-100mm and 125mm (2006 only), Preload Top Cap, and Spring Spacers.			
<b>2004-2005 Judy SL U-Turn</b>			
<b>* Rider weight and U-Turn travel (70-115mm)</b> <140 lbs (63 kg) 140-170 lbs (63-77 kg) >170 lbs (77 kg)	<b>Spring Color</b> Red Blue (Standard) Black	<b>Part #</b> 11.4308.292.001 11.4308.292.000 11.4308.292.003	
Spring Rate increases as U-Turn travel setting decreases. Spring kit includes Top Cap/Spring/Shaft Assembly only			
<b>2006 Judy J4 U-Turn</b>			
<b>* Rider weight and U-Turn travel (80-125mm)</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Yellow Red Blue (Standard) Black	<b>Part #</b> 11.4310.669.000 11.4310.670.000 11.4310.671.000 11.4310.672.000	
Spring Rate increases as U-Turn travel setting decreases. Spring kit includes Top Cap/Spring/Shaft Assembly only			
<b>2007 Dart 1, 2, 3</b>			
<b>Rider Weight (approximate)</b> <140 lbs (63 kg) 140-170 lbs (63-77 kg) >170 lbs (77 kg)	<b>Spring Color</b> Black Yellow (standard) Red	<b>Part #</b> 11.4015.041.000 11.4015.040.000 11.4015.039.000	
<b>2003-2005 Pilot XC, SL - 2002 Judy XC/SL</b>			
<b>Rider Weight (approximate)</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Red Blue Green Orange	<b>Part #</b> 11.4308.942.000 11.4306.208.000 11.4308.812.000 11.4308.813.000	
Spring rates can be substituted for air pressure additions			
<b>Duke U-Turn</b>			
<b>* Rider weight and U-Turn travel (63-115mm)</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Yellow Red Blue (Standard) Black	<b>Part #</b> 11.4307.371.001 11.4307.371.002 11.4307.371.003 11.4307.371.004	
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly only			
<b>Psylo U-Turn</b>			
<b>* Rider weight and U-Turn travel (80-125mm)</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Yellow Red (Standard) Blue Black	<b>Part #</b> 11.4306.270.001 11.4306.270.002 11.4306.270.003 11.4306.270.004	
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly only			
<b>Tora/Recon Fixed Coil</b>			
<b>* Rider weight (approximate)</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Yellow Red (Standard) Blue Black	<b>Tora Spring Part#</b> 11.4311.374.000 11.4311.375.000 11.4311.376.000 11.4311.377.000	<b>Recon Spring Part#</b> 11.4015.121.000 11.4015.120.000 11.4015.119.000 11.4015.122.000
Spring kit includes Preload Top Cap and Spring Spacer			
<b>Tora / Recon U-Turn</b>			
<b>* Rider weight and U-Turn travel</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Yellow Red (Standard) Blue Black	<b>Tora Spring Part#</b> <b>80mm-130mm</b> 11.4310.168.000 11.4310.169.000 11.4310.170.000 11.4310.171.000	<b>Recon Spring Part#</b> <b>80mm-130mm</b> 11.4310.136.000 11.4310.137.000 11.4310.138.000 11.4310.139.000
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly only			

# Springs

<b>Pike / Revelation U-Turn</b>			
<b>* Rider weight and U-Turn travel</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Yellow Red (Standard) Blue Black	<b>Revelation 80-130mm</b> 11.4310.136.000 11.4310.137.000 11.4310.138.000 11.4310.139.000	<b>Pike 90-140mm</b> 11.4309.043.000 11.4309.044.000 11.4309.045.000 11.4309.046.000
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly Only			
<b>Domain Coil</b>			
<b>Rider weight</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) 180-200 lb (82-91 kg) >200 lb (91kg)	<b>Spring Color</b> White Silver Red (standard) Yellow Blue	<b>Part#</b> 11.4015.179.000 11.4015.047.000 11.4015.046.000 11.4015.045.000 11.4015.048.000	
<b>Domain U-Turn</b>			
<b>Rider weight</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) 180-200 lb (82-91 kg) >200 lb (91kg)	<b>Spring Color</b> White Yellow Red (standard) Blue Black	<b>Part#</b> 11.4015.062.000 11.4015.060.000 11.4015.059.000 11.4015.058.000 11.4015.061.000	
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly Only			
<b>Lyrik U-Turn</b>			
<b>Rider weight</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) 180-200 lb (82-91 kg) >200 lb (91kg)	<b>Spring Color</b> White Yellow Red (standard) Blue Black	<b>Part#</b> 11.4015.099.000 11.4015.097.000 11.4015.096.000 11.4015.095.000 11.4015.098.000	
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly Only			
<b>Totem</b>			
<b>Rider weight</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) 180-200 lb (82-91 kg) >200 lb (91kg)	<b>Spring Color</b> White Silver Blue (standard) Yellow Red	<b>Part#</b> 11.4015.138.000 11.4015.136.000 11.4015.135.000 11.4015.134.000 11.4015.137.000	
<b>Argyle</b>			
<b>Rider weight</b> <140 lbs (63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) >180 lbs (82 kg)	<b>Spring Color</b> Yellow Red Blue Black (standard)	<b>Part#</b> 11.4015.015.000 11.4115.001.000 11.4115.000.000 11.4015.016.000	
<b>05-06 Boxxer Ride U-Turn</b>			
<b>* Rider weight and U-Turn travel 125mm-178mm</b> >150 lb (68 kg) 150-175 lb (68-79 kg) 175-200 lb (79-91 kg) >200 lb (91 kg)	<b>Spring Color</b> Yellow Yellow/Red Red (Standard) Black	<b>Part#</b> 11.4309.240.000 11.4309.241.000 11.4309.242.000 11.4309.870.000	
<b>06-07 Boxxer Race/Team</b>			
<b>Rider weight</b> <120 lb (55 kg) 120-150 lb (55-68 kg) 150-180 lb (68-82kg) >180 lb (82 kg)	<b>Spring Color</b> White Silver Yellow Red	<b>Part #</b> 11.4311.490.000 11.4311.489.000 11.4311.488.000 11.4311.487.000	
<b>00-05 Boxxer Race/Team/World Cup</b>			
<b>Rider weight</b> <100 lbs (<45 kg) 100-120 lbs (45-54 kg) 120-140 lbs (54-63 kg) 140-160 lbs (63-72 kg) 160-180 lbs (72-82 kg) 180-200 lbs (82-91 kg) 200-220 lbs (91-100 kg)	<b>Spring Rate</b> Extra Soft (20lb) Soft/Extra Soft (25lbs) Soft (30lb) Medium/Soft (35lbs) Medium (40lbs) Medium/Firm (45lb) Firm (50lb)	<b>Left - Spring Color</b> White White Silver Silver Yellow Yellow Red	<b>Right - Spring Color</b> White Silver Silver Yellow Yellow Red Red
See 00-05 Boxx Race/Team/World Cup page for part numbers.			

	Damping System	Right Leg (Damper)					Left Leg (Spring)			
		Right Leg Top (Volume) cc/ml	Oil Weight	Right Leg Bottom (Volume) cc/ml	Oil Weight	Pure/Pure Delite Damper (wt)	Left Leg Top (Volume) cc/ml	Oil Weight	Left Leg Bottom (volume) cc/ml	Oil Weight
<b>2007</b>										
Dart1	n/a	x	x	20	15	x	x	x	20	15
Dart 2	Rebound	150	5	x	x	x	x	x	20	15
Dart 2 Turnkey	Turnkey	93	5	10	15	x	x	x	20	15
Dart 3 Turnkey	Turnkey	93	5	10	15	x	x	x	20	15
Tora 289 Coil	Rebound	145	5	15	15	x	x	x	20	15
Tora 289 U-Turn	Rebound	145	5	15	15	x	x	x	30	15
Tora 302 Coil	Turnkey	145	5	15	15	x	x	x	20	15
Tora 302 U-Turn	Turnkey	145	5	15	15	x	x	x	30	15
Recon 335 Coil	Turnkey	120	5	15	15	x	x	x	30	15
Recon 335 Solo Air	Turnkey	120	5	15	15	x	6	15	15	15
Revelation U-Turn	Motion Control	115	5	15	15	x	x	x	30	15
Argyle 302 Coil	Rebound	130	5	10	15	x	x	x	30	15
Argyle 318 Coil	Motion Control	130	5	10	15	x	x	x	30	15
Argyle 409 Solo Air	Motion Control	130	5	10	15	x	6	15	15	15
Domain 302 Coil	Rebound	200	5	10	15	x	x	x	15	15
Domain 302 U-Turn	Rebound	200	5	10	15	x	x	x	15	15
Domain 318 Coil	Motion Control IS	200	5	10	10	x	x	x	15	15
Domain 318 U-Turn	Motion Control IS	200	5	10	10	x	x	x	15	15
Lyrik U-Turn	Mission Control	112	5	15	15	x	x	x	15	15
Lyrik Solo Air	Mission Control	112	5	15	15	x	6	15	15	15
Lyrik 2-Step Air	Mission Control	112	5	15	15	x	40	2.5	10	15
Totem Coil	Mission Control	137	5	20	15	x	x	x	20	15
Totem Solo Air	Mission Control / Motion Control IS	137	5	20	15	x	6	15	20	15
Totem 2-Step	Mission Control / Motion Control IS	137	5	20	15	x	135	2.5	20	15
<b>2006-2007</b>										
Tora U-Turn / Coil	Motion Control	130	5	15	15	x	x	x	30	15
Tora Solo Air	Motion Control	130	5	15	15	x	6	15	15	15
Recon U-Turn	Motion Control	118	5	15	15	x	x	x	30	15
Recon Solo Air	Motion Control	118	5	15	15	x	6	15	15	15
Revelation Dual Air	Motion Control	115	5	15	15	x	6	15	15	15
Revelation Air U-Turn	Motion Control	115	5	15	15	x	6	15	15	15
Pike Air U-Turn	Motion Control	120	5	15	15	x	6	15	15	15
SID Race	Pure Delite	5	15	10	15	1/2 full, 5wt	6	15	10	15
SID Team / World Cup	Motion Control	x	x	10	15	full, 5wt	6	15	10	15
Boxxer Race/Team	Motion Control	150	5	15	15	x	30	15	x	x
Boxxer World Cup	Motion Control	150	5	15	15	x	6	15	15	15
For Complete oil fill instructions, refer to the RockShox Service and Technical Manuals at <a href="http://www.sram.com">www.sram.com</a> .										

	Damping System	Right Leg (Damper)					Left Leg (Spring)			
		Right Leg Top (Volume) cc/ml	Oil Weight	Right Leg Bottom (Volume) cc/ml	Oil Weight	Pure/Pure Delite Damper (wt)	Left Leg Top (Volume) cc/ml	Oil Weight	Left Leg Bottom (volume) cc/ml	Oil Weight
<b>2005-2007</b>										
Reba Dual Air	Motion Control	110	5	15	15	x	6	15	15	15
Reba Air U-Turn	Motion Control	110	5	15	15	x	6	15	15	15
Pike U-Turn	Motion Control	120	5	15	15	x	x	x	15	15
Pike Dual Air	Motion Control	120	5	15	15	x	6	15	15	15
<b>2006</b>										
Judy J1	n/a	20	15	x	x	x	20	15	x	x
Judy J2	Rebound	150	5	x	x	x	20	15	x	x
Judy J2 Turnkey 80/100mm	Turnkey	93	5	10	15	x	20	15	x	x
Judy J2 Turnkey 125mm	Turnkey	109	5	10	15	x	20	15	x	x
Judy J3 80/100mm	Turnkey	93	5	10	15	x	20	15	x	x
Judy J3 125mm	Turnkey	109	5	10	15	x	20	15	x	x
Judy J4	Turnkey	109	5	10	15	x	20	15	30	15
Boxxer Ride	Motion Control	150	5	15	15	x	50	15	x	x
<b>2005</b>										
Judy TT/C	n/a	x	x	x	x	x	x	x	x	x
Judy XC 80mm	HydraCoil2	100	5	x	x	x	x	x	x	x
Judy XC 100mm	HydraCoil2	130	5	x	x	x	x	x	x	x
Judy SL U-Turn	HydraCoil2	150	x	x	x	x	x	x	x	x
Pilot C 80mm	HydraCoil2	110	10	x	x	x	x	x	10	5
Pilot C 100mm	HydraCoil2	130	10	x	x	x	x	x	10	5
Pilot XC/SL	Motion Control	95	5	10	15	x	6	15	10	15
Duke C/XC Air	Motion Control	95	5	10	15	x	6	15	10	15
Duke XC U-Turn	HydraCoil2	135	5	x	x	x	x	x	30	5
Duke SL/Race	Motion Control	95	5	10	15	x	6	15	10	15
Psylo XC	HydraCoil2	140	5	x	x	x	x	x	30	15
SID Race	Pure DeLite	5	15	10	5	1/2 full, 5wt	6	15	10	5
SID Team/WC	Pure	x	x	10	5	full, 5wt	6	15	10	5
Boxxer Ride	HydraCoil2	220	10	x	x	x	50	15	x	x
Boxxer Race	HydraCoil2	205	10	x	x	x	190	10	x	x
Boxxer Team/World Cup	HydraCoil2	205	5	x	x	x	180	10	x	x
For Complete oil fill instructions, refer to the RockShox Service and Technical Manuals at <a href="http://www.sram.com">www.sram.com</a> .										

# Axle-to-Crown / Torque

Fork Travel	60mm	63mm	80mm	85mm	95mm	100mm	115mm	125mm	130mm	135mm	140mm	160mm	174mm	180mm	203mm
2003-2005 Metro 26"	423mm														
2003-2005 Metro 700c	456mm														
2004-2005 Judy TT			454mm			471mm									
2004-2005 Judy XC			453mm			470mm									
2004-2005 Judy SL UTurn						486mm									
2006 Judy			454mm			471mm		501mm							
2007 Dart			454mm			471mm									
2003-2005 Pilot			451mm			468mm									
2002-2005 Duke Air			451mm			471mm									
2003-2005 Duke U-Turn		439mm	461mm			484mm									
2001-2005 Psylo			456mm			476mm		501mm							
2006-2007 Tora / Recon			459mm			479mm			509mm						
2006-2007 Tora 29er			492mm			512mm									
2005-2007 Reba				458mm		473mm	488mm								
2005-2007 Reba 29er			490mm			510mm									
2006-2007 Revelation						478mm	493mm		508mm						
2005-2007 Pike					473mm				508mm		518mm				
2007 Domain							500mm					545mm		565mm	
2007 Lyrik							500mm					545mm			
2007 Totem										530mm				565mm	
2007 Argyle						491mm									
1999-2007 SID Dual Air		434mm	451mm												
2005-2006 Boxxer Ride									494mm				544mm		
2000-2007 Boxxer													544mm		568mm

Suspension Fork	Minus (-)	Torque - inch pounds	Plus (+)
Top Cap Aluminum, All	10	65	10
Top Cap, Plastic, All	10	65	10
Bottom Bolt, 8mm, Solid	15	60	10
Bottom Bolt, 8mm, Hollow	15	60	15
Bottom Bolt, 8mm, Boxxer	15	60	15
Bottom Bolt, 8mm, Dual Air	10	45	10
Brake Post	15	80	15
Crown Bolt, Boxxer	15	65	15
Knob Screw, 4mm, U-Turn/Pure Climb-It Knob	2	12	2
Axle Pinch Bolt, Boxxer	5	25	5
Air Valve Core, Schrader Type	2	10	2
Axle Bolt, Boxxer	10	50	10
SID Upper Tube Threaded Retainer	15	60	15
Air Valve Assembly, Schrader Type	10	30	10
Top Cap, U-Turn Air	15	130	15
Pure Compression Piston Bolt	10	40	10
Pure Rebound Piston Bolt	10	40	10
Poploc Clamp Bolt	2	20	2
Blackbox Lever Clamp Bolt	2	8	2
Pure Remote Knob Cable Set-Screw	2	8	2
<b>Rear Shock</b>			
Schrader Valve Core	2	10	2
Schrader Valve Housing	5	30	5
Shaft-Eyelet Assembly	5	105	5
Air Can Lock Ring	10	65	10
Air U-Turn Air Can Assembly	5	65	5